

INDEX MAPS.

T. 3 N., R. 1 E. 2nd Mer.

	67-69	67-69	67-68	67-68	67-68	68						
71	6	91	5	86	4	82	3	79	2	75	1	66
	91	90	85	82	78	74						
71	7	90	8	85	9	82	10	78	11	74	12	66
	90	89	85	81	77	74						
71	18	89	17	84	16	81	15	77	14	73	13	66
	89	88	84	81	77	73						
70	19	88	20	84	21	80	22	76	23	73	24	66
	88	87	83	80	76	72						
70	30	87	29	83	28	80	27	76	26	72	25	65
69	87	86	83	79	75	72						
69	31	86	32	82	33	79	34	75	35	71	36	65
	63-64	63-64	63-64	63-64	63-64	63-64	63-65					

T. 4 N., R. 1 E. 2nd Mer.

	98	98	97-99	97-99	97-99	97-99						
101	6	121	5	118	4	116	3	114	2	112	1	96
	112	122	121		119		117		114		112	
101	7	121	8	119	9	117	10	114	11	112	12	96
	111	111		119		117		115		113		
100	18	110	17	120	16	118	15	115	14	113	13	96
	110	109	120	120	116	116	115		113			
100	19	109	20	121	21	105	22	115	23	103	24	96
	110	109	107	105	116	116	103	102				
100	30	108	29	106	28	105	27	104	26	102	25	96
	108	108	106	105	104	102						
99	31	107	32	106	33	104	34	103	35	101	36	95
	93-95	93-94	93-94	93-94	93-94	93-94	93-94					

Meanders 459

The figures on the lines refer to the page.

Township N. 3 North, Range N. 1 East 2. Mer. Indiana

South Boundary

West 1st Mile On Randm. betw. Towns 2 & 3 N. R 1 E.

40.00 Set temp^y. of Sec. post

80.00 Set temp^y. (mile post)

Land level & rich, timber Oak & Beech undg^d Spice

West 2nd Mile On Randm. betw. Towns 2 & 3 N. R 1 E.

40.00 Set temp^y. of Sec. post

58.00 a Brook 100 lbs wide C. P. N.

80.00 Set temp^y. (mile post)

Land timber &c. Same as on the last mile

West 3rd Mile On Randm. betw. Towns 2 & 3 N. R 1 E.

34.00 a Brook 200 lbs wide C. P. N.

40.00 Set temp^y. of Sec. post

80.00 Set temp^y. (mile post)

Land timber &c. Same as on the last mile

West 4th Mile On Randm. betw. Towns 2 & 3 N. R 1 E.

40.00 Set temp^y. of Sec. post

80.00 Set temp^y. (mile post)

Land timber &c. Same as on the last mile

West 5th Mile On Randm. betw. Towns 2 & 3 N. R 1 E.

40.00 Set temp^y. of Sec. post

80.00 Set temp^y. (mile post)

Land, timber &c. Same as on the last mile

West 6th Mile On Randm. betw. Towns 2 & 3 N. R 1 E.

40.00 Set temp^y. of Sec. post

84.00 Intersected the 2nd Meridian 500 lbs. N. of the

Lower Corner. Land same quality but covered thick with underbrush Spice wood & Red. bud

T3 N. R1 E. 2^d. Mer. Indiana

East On S. boundy. of Sec. 31, T3 N. R1 E.

- 44.00 Set the q. Sec. post, on true line, from which
a Hickory 10 in. diam. bears S6 E 6 lks. dist. of
a Dogw. 6 " " " West 27 " "
- 84.00 Set a post Cor. to Sec. 31 & 32, from which
a Elm 8 in. diam. bears S87 W 15 lks. dist. of
a Dogw. 8 " " " N24 W 8 " "

East On S. boundary of Sec. 32, T3 N. R1 E.

- 40.00 Set the q. Sec. post, on true line, from which
a Beech 6 in. diam. bears N32 E 14 lks. dist. of
a Dogw. 6 " " " N13 E 8 " "
- 80.00 Set a post Cor. to Sec. 32 & 33, from which
a B. Oak 30 in. diam. bears S55 W 6 lks. dist. of
an Elm 4 " " " N84 E 19 " "

East On S. Boundy. of Sec. 33, T3 N. R1 E.

- 40.00 Set the q. Sec. post on true line, from
a Sugar 10 in. diam. bears N23 E. 10 lks. dist. of
a W. Oak 8 " " " S32 E 17 " "
- 80.00 Set a post Cor. to Sec. 33 & 34, T3 N. R1 E. from which
a Beech 7 in. diam. bears N34 E 8 lks. dist. of
a Sugar 10 " " " S79 W 17 " "

East On S. boundy. of Sec. 34, T3 N. R1 E.

- 40.00 Set the q. Sec. post on true line, from which
a Beech 30 in. diam. bears S15 E 4 lks. dist.
This post stands in a Creek 200 lks. wide C. S. W.
- 80.00 Set a post Cor. to Sec. 34 & 35, from which
a Beech 24 in. diam. bears N35 E 25 lks. dist. of
a Do 10 " " " N66 W 26 " "

East On S. boundary of Sec. 35, T3 N. R1 E.

T3 N R1 E2nd Mer. Indiana

- 40.00 Set the q^r. Sec. post on true line, from which
an Ironwood 5 m. dia. bear N 20 W 13 lbs. dist. &
a Loc 4 " " " S 28 E 14 " "
- 80.00 Set a post Cor. to Secs. 35 & 36, from which
a Sassafras 5 m. dia. bear N 6 E 16 lbs. dist. &
a Poplar 20 " " " S 14 E 28 " "

East On the S. bound^y of Sec. 36, T3 N. R1 E.

- 40.00 Set the q^r. Sec. post on true line, from which
a W. Oak 20 m. dia. bear S 9 W 20 lbs. dist. &
an Elm 10 " " " N 14 W 28 " "
- 80.00 to the Lower Corner August. 1806.

East Boundary

North On E. boundary of Sec. 36, T3 N. R1 E.

- 18.50 a poplar 44 m. dia.
- 40.00 Set the q^r. Sec. post, from which
a Gum 14 m. dia. bear N 68 E 11 lbs. dist. &
a W. Oak 10 " " " S 77 W 22 " "
- 58.68 an Ash 12 " "
- 80.00 Set a post Cor. to Secs. 25 & 36, from which
a Beech 16 m. dia. bear N 5 W 62 lbs. dist. &
a B. Walnut 13, " " " S 43 E 38 " "
Good land, Beech, Poplar, Walnut, Oak & Sugar tree

North On E. boundary of Sec. 25, T3 N. R1 E.

- 40.00 Set the q^r. Sec. post, from which
an Aspen 12 m. dia. bear S 50 W 24 lbs. dist. &
an Elm 4 " " " ————— " "
- 58.62 a Beech 12 " "
- 80.00 Set a post Cor. to Secs. 24 & 25, from which
a Poplar 8 m. dia. bear S 17 E 13 lbs. dist. &
a W. Oak 20 " " " West 56 " "

T3 N. R1 E. 2nd. Mer. Indiana

Sand level, Oak, Poplar & Beech, some brush

North On E. boundary of Sec. 24, T3 N. R1 E.

8.50 a Branch 12th. wide Course W.

37.00 a Do 8 " " " W.

40.00 Let the q. Sec. post, from which

a W. Oak 12 in. dia. beam S48^W 22^{lks} dist. of58.87 a Branch 16 " " " N29^E 36 " "

80.00 Let a post Cor. to Sec. 13 & 24, from which

a W. Oak 20 in. dia. beam N82^E 42^{lks} dist. ofa W. Oak 10 " " " N63^W 32 " "

Sand level Oak, Hickory, Beech & ash

North On E. boundary of Sec. 13, T3 N. R1 E

26.75 a W. Oak 14 in. dia.

35.37 a Do 18 " "

40.00 Let the q. Sec. post, from which an Ash 10 in. dia. beam

N22^W 20^{lks} dist. of a W. Oak 8 in. dia. beam N39^E 10^{lks} dist.

46.07 a W. Oak 16 in. dia.

80.00 Let a post Cor. to Sec. 12 & 13, from which a Poplar 15 in. dia. beam

S11^E 12^{lks} dist. of a Do. 16 in. dia. beam S87^W 29^{lks} dist. of

Sand level, timber Oak & Poplar

North On E. boundary of Sec. 12, T3 N. R1 E.

40.00 Let the q. Sec. post, from which a W. Oak 13 in. dia. beam

N28^E 25^{lks} dist. of a Do. 16 in. dia. beam N29^W 23^{lks} dist. of

65.86 a W. Oak 24 in. dia.

80.00 Let a post Cor. to Sec. 1 & 12, from which a W. Oak 33 in. dia.

beam S58^E 23^{lks} dist. of an Ash 12 in. dia. beam N43^W 24^{lks} dist.

Sand level, timber Oak, Poplar, ash & Hickory

North On E. boundary of Sec. 1, T3 N. R1 E.

15.75 a W. Oak 20 in. dia.

40.00 Let the q. Sec. post, from which a W. Oak 12 in. dia. beam

S22^E 27^{lks} dist. of an Ash 16 in. dia. beam S73^W 38^{lks} dist. of

T³ N. R1 E. 2^d. Mer. Indiana

49.54 Intersected the Indian boundary 850 West of 83 mile post
 (Supposed to be 59.54) Set a post, from which a W. Oak 10 in. dia. bears
 N 79° W 19 lks. dist. & a Poplar 12 in. dia. bears } var. 6° 30' E.
 N 34° E 47 lks. dist.

80.00 Set a post Cor. to Town 3 & 4 N. Range 1 & 2 E
 2^d. Meridian, from which
 an Ironwood 6 in. dia. bears N 48° W 7 lks. dist. &
 a Do 5 " " " N 27° E 3 " "
 Over Oak & Hickory timbered land.

North Boundary

East 1st. mile On Rand^m. between Towns 3 & 4 N. R1 E

40.00 Set temp^y. q^r. Sec. post

80.00 Set temp^y. mile post.

Over very bushy thin Soil.

East 2nd. mile On Rand^m. betwⁿ. Towns 3 & 4 N. R1 E.

40.00 Set temp^y. q^r. Sec. post,

80.00 Set temp^y. mile post.

Land same timber Oak & Hickory

East 3rd. mile On Rand^m. betwⁿ. Towns 3 & 4 N. R1 E.

36.25 a Brook 20 lks. wide Cr. St.

40.00 Set temp^y. q^r. Sec. post

80.00 Set temp^y. mile post. Land &c. same

East 4th. mile On Rand^m. betwⁿ. Towns 3 & 4 N. R1 E.

40.00 Set temp^y. q^r. Sec. post

80.00 Set temp^y. mile post. Over very good farming
 land, Oak & Hickory timber

East 5th. mile On Rand^m. betwⁿ. Towns 3 & 4 N. R1 E.

40.00 Set temp^y. q^r. Sec. post

43.50 a brook 12 lks. wide Cr. St.

80.00 Set temp^y. mile post. Land &c. same

T3N R1E. 2^d. Mer. Indiana

East 6th Mile on Randm. betw. Towns 3 & 4 N. R1E
 40.00 Set temp. 4. gr. Sec. post
 89.00 Intersected the N & S. line North of Town
 Corner - a Brook 15 lbs. wide Cr. St.
 Land hilly and brushy.

West On S. boundary of Sec. 36, T4 N. R1E.
 40.00 Set the gr. Sec. post on true line, from which
 a Poplar 18 in. dia. bears S 10 E 7 lbs. dist. &
 an Hickory 10 " " " N 86 W 29 " "
 80.00 Set a post Cor. to Sec. 35 & 36, T4 N. R1E. from which
 a Dogwood 8 in. dia. bears N 67 E 19 lbs. dist.

West On S. boundary of Sec. 35, T4 N. R1E.
 40.00 Set the gr. Sec. post, from which
 a Sugar 10 in. dia. bears N 65 E 52 lbs. dist. &
 a Do 10 " " " S 70 W 47 " "
 80.00 Set post Cor. to Sec. 34 & 35, T4 N. R1E. from which
 a B. Oak 10 in. dia. bears N 50 W 9 lbs. dist. &
 an Elm 12 " " " S 8 W 17 " "

West On S. boundry of Sec. 34, T4 N. R1E.
 40.00 Set the gr. Sec. post. (Fearing's - Omitted)
 80.00 Set app. Cor. to Sec. 33 & 34. Town 4 N. R1E. from which
 a W. Oak 10 in. dia. bears N 37 E 25 lbs. dist. &
 an Elm 7 " " " S 12 E 20 " "

West On S. boundry of Sec. 33, T4 N. R1E.
 40.00 Set the gr. Sec. post, on true line, from which
 a Poplar 12 in. dia. bears S 9 E 16 lbs. dist. &
 a Beech 5 " " " N 40 W 7 " "
 80.00 Set a post Cor. to Sec. 32 & 33, T4 N. R1E. from which
 a W. Oak 12 in. dia. bears N 64 E 20 lbs. dist. &
 a W. Ash 10 " " " N 73 W 20 " "

T3N R1E. 2^d. Mer. Indiana

69

West On S. boundy. of Sec. 32, T4N. R1E.

40.00 Set the q. Sec. post, on true line from which
a W. Oak 10 m. dist. bears N60 W 20 lbs. dist. of
a do 10 " " " N4 W 25 " "

80.00 Set a post Cor. to Sec. 31 & 32, T4N. R1E, from which
a W. Oak 9 m. dist. bears North 31 lbs. dist. of
a B. Oak 10 " " " N35 E 34 " "

West On S. boundy. of Sec. 31, T4N. R1E.

40.00 Set the q. Sec. post on true line, from which
a W. Oak 28 m. dist. bears S85 E 49 lbs. dist. of
a Gum 18 " " " N33 W 19 " "

99.20 to the Town Corner on the 2^d. Meridian
Surveyed by Arthur Henne, D. S.

West Boundary on 2^d. Principal Meridian
North 1st. Mile On Rand^m. 2^d. Mer. E. boundy. Sec 36. T3N
Range 1 W.

40.00 Set temp^y. q. Sec. post

80.00 Set temp^y. 1/2 mile post. Land rich & level
timber Oak & Hick^y. beech & undergth. Spruce wood

North 2^d. mile On Rand^m. 2^d. Meridian E. bdy. T3N
Range N^o. 1 W.

10.54 fell 400 lbs. E. of the Corner on the Meridian
and Freeman's line.

South On E. boundy. of Sec. 25, T3N. R1W

10.54 Set a post Cor. to Sec. 25 & 36, T3N. R1W, from which
a Hickory 17 m. dist. bears N67 E 36 lbs. dist. of
a W. Oak 10 " " " S87 W 20 " "

South On E. boundy. of Sec. 36, T3N. R1W.

T³ N. R. 1 E. 2nd. Mer. Indiana

- 40.00 At the q^r. Sec. post on true line, from which
an Elm 7 in. dia. bears N 26 E 19 lks. dist. &
a Do 8 " " " S 86 W 28 " "
- 80.00 At a post Cor. to Town of 3rd N. Range 1 E.
on the 2nd Meridian, from which
a White Oak 10 in. dia. bears S 88 E 17 lks. dist. &
a Dogw^o? 7 " " " N 66 W 26 " "
- Surveyed by Arthur Hurrie, D. S.

North On E. boundary of Sec. 25, T³ N. R. 1 W
From post on Freeman's line

- 18.00 a Poplar 48 in. dia.
- 38.00 an Elm 10 in. dia. (Marked for q^r. Sec. Cor.)
- 78.00 At a post Cor. to Sec. 24 & 25, T³ N. R. 1 W, from which
a Dogwood 7 in. dia. bears N 36 W 19 lks. dist. &
a W. Oak 20 " " " S 44 W 44 " "
- 1st. rate bill, flat ridges, Poplar, B. Walnut,
Sugar, Oak &c.

North On E. boundary of Sec. 24, T³ N. R. 1 E.

37.75 to a Dogwood 7 in. dia. Cor. to Sec. 19 & 24

Standing on Freeman's line

Sand timber &c. Same as on the last mile.

Surveyed by Supper & Stone. Dep. Sur^s.

- 40.00 At the q^r. Sec. post, from which
a Hickory 10 in. dia. bears N 42 W 7 lks. dist. &
a W. Oak 8 " " " N 27 W 14 " "
- 80.00 At a post ~~a~~ post Cor. to Sec. 13 & 24, T³ N. R. 1 W
from which a Beech 12 in. dia. bears S 85 E 19 lks. dist. &
a White Oak 12 " " " N 69 W 12 " "
- This mile over good farming land, Oak & Hickory
timber, underbrush, Spruce.

T³N. R1E2nd. Mer. Indiana

North On E. boundy. of Sec. 13, T³N. R1W.

76.9 a W. Oak 12 in. diam.

40.00 At the q. Sec. post, from which a Hickory 10 in. diam. bears S 12 W 14th. dist. 75 ft. Dogwood 5 in. diam. bears N 20 E 16th.

72.10 a W. Oak 30 in. diam.

80.00 Set a post Cor. to Sec. 12 & 13, T³N. R1W, from which a Dogwood 8 in. diam. bears N 65 E 9th. dist. 6 ft. a Do 9 " " " S 6 W 10 " "

Land timber &c. Same as on the last mile

North On E. boundy. of Sec. 12, T³N. R1W

40.00 At the q. Sec. post, from which a Dogwood 6 in. diam. bears N 46 E 10th. dist. 75 ft. a Hickory 10 in. diam. bears S 49 W 14th. dist. 75 ft.

80.00 Set a post Cor. to Sec. 16 & 17, T³N. R1W, from which a Hickory 12 in. diam. bears S 5 E 24th. dist. 75 ft. a W. Oak 10 " " " S 66 W 4 " "

This mile over brushy oak & hickory, greenbrier, sink holes &c.

North On E. boundy. of Sec. 1, T³N. R1W.

40.00 At q. Sec. post, from which a W. Oak 15 in. diam. bears N 68 E 19th. dist. 75 ft. a Do. 18 in. diam. bears S 62 W 25th. dist. 75 ft.

80.00 Set a post Cor. to Town 3 & 4 St. R1E & W, from which a Poplar 10 in. diam. bears S 38 W 13th. dist. 75 ft. a B. Oak 10 " " " " S 18 E 33 " "

Land timber &c. Same as on the last mile
Surveyed by Arthur Kenzie, A. Sur.

Subdivision

North Between Sec. 35 & 36, T³N. R1E.

40.00 At the q. Sec. post, from which a Beech 15 in. diam. bears S 60 E 14th. dist. 75 ft. a Do 10 " " " " S 33 W 14 " "

76.60 a Brook 10th. wide C.P. W.

80.00 Set a post Cor. to Sec. 25, 26, 35 & 36, from which a Beech 12 in. diam. bears N 86 W 14th. dist. 75 ft.

T3 N. R1 E. 2nd Mer. Indiana

a Beech 12 in. diam. beam, S 71 E 18 lks. dist. of
Land level, Hickory Beech & Ash

East On Random betw. Sec. 25 & 36, T3 N. R1 E.

40.00 At temp. of Sec. post.

80.00 Intersected the N. & S. 25 lks. S. of the corner
Land timber &c. same as on the last (mile)

West Corrected between Sec. 25 & 36, T3 N. R1 E.

110.00 At of Sec. post at ar. dist. on true line, from which
a Beech 20 in. diam. beam, S 19 E 24 lks. dist. of
a do 18 " " " S 80 E 13 " "

80.00 to Section corner.

North Between Sec. 25 & 26, T3 N. R1 E. 2nd Mer.

40.00 At the of Sec. post. from which

a Beech 20 in. diam. beam, N 10 W 21 lks. dist. of
a do 10 " " " N 69 W 18 " "

56.50 a Brook 15 lks. wide Course W.

80.00 At a post cor. to Sec. 23, 24, 25, 26, from which

a Beech 20 in. diam. beam, S 66 E 11 lks. dist. of
a do 10 " " " S 22 W 20 " "

Land timber &c. same as above underg. Spruce

East On Random betw. Sec. 24 & 25, T3 N. R1 E.

40.00 At temp. of Sec. post

74.00 a Brook 10 lks. wide C. P. N. W.

80.96 Intersected the N. & S. line 15 lks. — of corner.

Land level & brushy, timber Oak & Hickory

West On true line between Sec. 24 & 25, T3 N. R1 E.

40.48 At of Sec. post at ar. dist. on true line, from which
a P. Oak 10 in. diam. beam, S 87 E. 29 lks. dist. of

T3N R1E. 2^d. Mer. Indiana

73

a Logwood 5 m. diam. bears N51E 13 lks. dist. &
80.96 to Section Corner.

North Between Sec. 23 & 24 T3N. R1E. 2^d. Mer.

18.25 a Poplar 20 m. diam.

19.00 a Branch 10 lks. wide C.P. N.W.

40.00 At the q. Sec. post, from which
an Aspen 10 m. diam. bears S37W 12 lks. dist. &
a W. Oak 10 " " " N42E 3 " "

66.00 a Beech 20 " "

80.00 At a post Cor. to Sec. 13, 14, 23 & 24, from which
a Poplar 10 m. diam. bears N6W 16 lks. dist. &
an Elm 10 " " " S47E 17 " "
Land very brushy & level

East on Rand^m. betw. Sec. 13 & 24, T3N. R1E.

40.00 At temp. q. Sec. post

42.50 a Branch 15 lks. wide C.P. N.W.

80.60 Intersected the N & S. line 10 lks. S. of the Cor.
Land, timber &c. the same as on the last mile

West on true line, between Sec. 13 & 24, T3N. R1E.

40.30 At q. Sec. post at av. j. dist. on true line, from which
a W. Oak 10 m. diam. bears S21W 13 lks. dist. &
a Beech 20 " " " N21E 6 " "

80.60 to Section Corner.

North Between Sec. 13 & 14, T3N. R1E. 2^d. Mer.

40.00 At the q. Sec. post, from which
a Beech 10 m. diam. bears S28W 29 lks. dist. &
a Logw? 6 " " " S82E 7 " "

80.00 At a post Cor. to Sec. 11, 12, 13 & 14, from which
a Poplar 24 m. diam. bears S26W 17 lks. dist. &

T3N R1E 2nd Mer. Indiana

a Beech 24 mi. dist. bear East 34 lbs. dist.
Good level farming land

East On Randow between Sec. 12 & 13, T3N R1E.

5.50 a Brook 20 lbs. wide Cr. St. W.

40.00 Set temp. of Sec. post

80.37 Intersected the N & S. line 6 lbs. S. of the corner.
Land, timber &c. same as on the last mile

West On true line betw. Sec. 12 & 13, T3N R1E.

40.18 1/2 dist of Sec. post at av. g. dist. on true line, from which
a Beech 10 mi. dist. bear N 28 W 20 lbs. dist. of

a Dogw. 6 " " " N 85 E 17 " "

80.37 to Sec. Cor.

North Betw. Sec. 11 & 12, T3N R1E 2nd Mer.

7.50 a Brook 15 lbs. wide Cr. St. W.

40.00 Set the of Sec. post, from which

a Dogwood 6 mi. dist. bear N 14 E 23 lbs. dist. of

a Beech 10 " " " N 41 W 18 " "

80.00 Set a post Cor. to Sec. 1, 2, 11, 12, from which

a Beech 24 mi. dist. bear N 73 W 19 lbs. dist. of

a B. Oak 24 " " " N 49 E 26 " "

Good level farming land.

East On Rand. betw. Sec. 1 & 12, T3N R1E.

40.00 Set temp. of Sec. post

79.96 Intersected the N & S. line 5 lbs. S. of the cor.
Rolling Oak timbered land

West on true line betw. Sec. 1 & 12, T3N R1E.

39.98 Set of Sec. post at av. g. dist. from which
a Dogwood 6 mi. dist. bear N 61 W 7 lbs. dist. of

T3 N. R1 E. 2^d. Mer. Indiana

a W. Oak 12 mi. dist. bear N 80 E 32 lbs. dist. of
79.96 to Sec. Cor.

North Between Sec. 1 & 2, T3 N. R1 E. 2^d. Mer.
18.27 Set a post on the Indian boundary line, from which
a W. Oak 24 mi. dist. bear N 32 E, 18 lbs. dist. of
a Sugar 10 " " " N 50 W 17 " "
40.00 the old q. Sec. post. (here Mr. Henry calls
for an old q. Sec. post). This q. Sec. ^{Cor.} should
should have been in this last Survey.
79.00 Intersected the N. boundary 16 lbs. E of post.
^{Set post Cor. to Sec. 1 & 2 from which}
a W. Oak 12 mi. dist. bear N 19 W 17 lbs. dist. of
a Dog 10 " " " S 19 E 9 " "
Rolling Oak & Hickory timber Many sink holes

North Between Sec. 34 & 35, T3 N. R1 E.
15.00 a Creek 100 lbs. wide C.P. S.W.
40.00 Set the q. Sec. post, from which
a Beech 10 mi. dist. bear S 67 E 16 lbs. dist. of
a Do 10 " " " S 53 W 20 " "
75.00 a Gum 10 " "
80.00 Set a post Cor. to Sec. 26, 27, 34 & 35, from which
a Beech 12 mi. dist. bear S 54 E 16 lbs. dist. of
a Hickory 20 " " " N 31 W 15 " "
Good farming Oak, Hickory & Beech timber land.

East On Random betw. Sec. 26 & 35, T3 N. R1 E.
20.00 a Brook 8 lbs. wide C.P. S.W.
39.00 a Do 10 " " " S.
40.00 Set temp. q. Sec. post
80.00 Intersected the c. & S. line 15 lbs. S. of the Cor.
Sand timber &c. Same as on the last mile

T3 N. R1 E. 2^d. Mer. Indiana

West On true line between Sec. 26 & 35, T3 N. R1 E.
 40.00 Set the q. Sec. post at an f. dist. from which
 a Beech 20 mi. dist. bears N 65 E 44 lks. dist. &
 a Do 10 " " " N 32 W 13 " "
 80.00 to Sec. Corner.

North Between Sec. 26 & 27, T3 N. R1 E. 2^d. Mer.
 40.00 Set the q. Sec. post from which
 a Beech 12 mi. dist. bears N 2 W 25 lks. dist. &
 a Br. Oak 12 " " " S 40 E 4 " "
 41.95 a Poplar 30 " "
 68.50 a Brook 10 lks. wide C.P. W.
 80.00 Set a post Cor. to Sec. 22, 23, 26 & 27, from which
 a Beech 8 mi. dist. bears S 24 E 18 lks. dist. &
 a Do 8 " " " S 73 W 9 " "
 Sand timber &c. Same as on the last mile

East On Rand^m. betwⁿ. Sec. 23 & 26, T3 N. R1 E.
 40.00 Set ten f. q. Sec. post
 65.50 a Branch 10 lks. wide C.P. N.
 80.00 Intersected the N & S. line 15 lks. S. of the Cor.
 Sand, timber &c. Same as on the last mile

West On true line betwⁿ. Sec. 23 & 26, T3 N. R1 E.
 40.00 Set q. Sec. post at an f. dist. from which
 an Elm 12 mi. dist. bears N 31 E 18 lks. dist. &
 a Beech 10 " " " S 87 E 12 " "
 80.00 to Sec. Cor.

North Between Sec. 22 & 23, T3 N. R1 E.
 40.00 Set the q. Sec. post, from which
 a Beech 15 mi. dist. bears N 5 W 18 lks. dist. &
 a W. Oak 20 " " " S 32 W 29 " "

T3N R1E, 2nd Mer. Indiana

75.00 a Brook 20 lks. wide C.S. West
 80.00 At a post Cor. to Secs. 14, 15, 22 & 23, from which
 a B. Oak 10 in. dia. bears S 25 E 14 lks. dist. of
 a Poplar 6 " " " N 39 W 6 " "
 Land timber &c. Same as on the last mile

East On Randm. betw. Secs. 14 & 23, T3N R1E
 40.00 At temp. of Sec. post
 65.00 a Branch 10 lks. wide C.S.
 80.00 Intersected the N & S line 8 lks. S. of the cor.
 Land, timber &c. Same as on the last mile

West On true line betw. Secs. 11 & 14, T3N R1E.
 40.00 At of Sec. post at adj. dist. from which
 a Beech 15 in. dia. bears N 42 E 6 lks. dist. of
 a Dogw. 6 " " " N 68 W 11 " "
 80.00 to Sec. Cor.

North Betw. Secs. 14 & 15, T3N R1E, 2nd Mer.
 23.90 a W. Oak 22 in. dia.
 40.00 At of Sec. post, from which
 a Gum 10 in. dia. bears N 20 E 23 lks. dist. of
 a Beech 20 " " " S 26 W 47 " "
 80.00 At a post Cor. to Secs. 14, 15, 10 & 11, from which
 a Hickory 10 in. dia. bears S 5 W 24 lks. dist. of
 a Ro 8 " " " S 54 E 10 " "
 Thin brushy land, Oak & Hickory timber.

East On Randm. betw. Secs. 11 & 14, T3N R1E
 40.00 At temp. of Sec. post
 77.64 Intersected the N & S line 24 lks. S. of the cor.
 Land timber &c. Same as on the last mile

T3N R1E 2nd Mer. Indiana

West On true line betwⁿ Sec. 11 & 14, T3N. R1E
 39.82 Set q. Sec. post at av^g. dist. on true line from which
 a W. Ash 12 in. dia. bears N 21 W 16 lks. dist. of
 a Hick^y. 18 " " " N 82 W 17 " "
 79.64 to Sec. Cor.

North Between Sec. 10 & 11, T3N. R1E. 2nd Mer.

40.00 Set the q. Sec. post, from which
 a Dogwood 4 in. dia. bears N 80 W 17 lks. dist. of
 a W. Oak 12 " " " N 67 E 3 " "

50.66 Set a post on the Indian boundary, from which
 a Gum 12 in. dia. bears S 70 E 24 lks. dist. of
 a W. Oak 10 " " " N 16 W 48 " "

Land &c. Same. November 20th 1806.

80.00 Set a post Cor to Sec. 2, 3, 10, 11, from which
 a W. Oak 8 in. dia. bears S 40 E 20 lks. dist. of
 a B. Oak 12 " " " S 50 W 21. " "

Land rolling timber Oak & Hickory many
 sink holes.

East On Random betwⁿ Sec. 2 & 11, T3N. R1E.

40.00 Set temp^y. q. Sec. post

47.00 a Brook 20 lks. wide Cr. St.

80.19 Intersected the N & S. line 123 lks. S of post
 Land, timber &c. Same as on the last mile

West On true line betwⁿ Sec. 2 & 11, T3N. R1E

25.47 Set post on Indian boundary, from which
 a Sugar 10 in. dia. bears N 6 W 15 lks. dist. of
 a Poplar 30 " " " N 35 E 28 " "

Land &c. Same. November 19th 1806

40.09 1/2 Set q. Sec. post at av^g. dist. from which
 a W. Oak — in. dia. bears N 30 E 6 lks. dist. of

T3 N. R1 E. 2nd. Mer. Indiana

79

a W. Oak 10 in. dia. bear S58W37k. dist.
80.19 to Sec. Corner.

North Between Sec. 28 & 29, T3 N. R1 E.

40.00 At the q. Sec. post, from which
a Dogwood 6 in. dia. bear S10E37k. dist. of
a Do 6 " " " N2E15 " "

87.25 Intersected the N. boundy. 59 k. N. of the Cor.
At a post Cor. to Sec. 28 & 29, from which
a W. Oak 10 in. dia. bear S77W11 k. dist. of
a Do 10 " " " S76E32 " "
Rolling land, timber Oak & Hickory many
sink holes.

North Between Sec. 33 & 34, T3 N. R1 E. 2nd Mer.

35.70 a W. Oak 20 in. dia.

40.00 At the q. Sec. post, from which
a Dogwood 5 in. dia. bear S56E15 k. dist. of
a Do 5 " " " N47W5 " "

41.50 a brushy Pond 350 k. wide

80.00 At a post Cor. to Sec. 27, 28, 33 & 34, from which
a Sugar 10 in. dia. bear N45E9 k. dist. of
a Gum 15 " " " S11E40 " "
Rolling land, timber Oak

East On Randm. betw. Sec. 27 & 34, T3 N. R1 E.

18.00 a Brook 10 k. wide C. S. W.

40.00 At temp. q. Sec. post

80.00 Intersected the S. line 9 k. S. of the Cor.
Land timber &c. the same as on the last mile

West On true line between Sec. 27 & 34, T3 N. R1 E.

40.00 At q. Sec. post at a q. dist on true line from which

3rd N. R1 E. D. Mer. Indiana

a Beech 10 m. diam. bears N 86 E 6 lks. dist. of
 a Do 8 " " " S 2 W 19 " "
 80.00 to Sec. Corner

North Between Sec. 27 & 28, 3rd N. R1 E.
 31.50 a Brook 10 lks. wide C. S. W.
 40.00 Let the q. Sec. post, from which
 a Beech 10 m. diam. bears S 2 W 39 lks. dist. of
 a Do 12 " " " S 43 W 8 " "
 80.00 Let a post Cor. to Sec. 21, 22, 27 & 28, from which
 a Hickory 8 m. diam. bears N 45 W 10 lks. dist. of
 an Elm 8 " " " N 72 E 15 " "
 Sand, timber &c. same as on the last mile

East On Random between Sec. 22 & 27, 3rd N. R1 E.
 40.00 Let temp. q. Sec. post
 47.00 a Pond 200 lks. wide
 79.80 Intersected the N. & S. line 15 lks. S. of the Cor.
 Sand timber &c. the same as on the last mile

West On true line between Sec. 22 & 27, 3rd N. R1 E.
 39.90 Let q. Sec. post at av. j. dist. from which
 a Beech 10 m. diam. bears N 46 W 8 lks. dist. of
 a Do 8 " " " N 82 E 13 " "
 79.80 to Sec. Corner.

North Between Sec. 21 & 22, 3rd N. R1 E.
 40.00 Let the q. Sec. post, from which
 a Gum 10 m. diam. bears S 7 E 44 lks. dist. of
 a B. Oak 8 " " " N 40 E 10 " "
 80.00 Let a post Cor. to Sec. 15, 16, 22 & 21, from which
 a W. Oak 20 m. diam. bears N 20 E 23 lks. dist. of
 a Poplar 10 " " " N 45 E 30 " "

T3 N R1 E 2nd Mer. Indiana

Brushy Oak timbered Soil.

East On Rand^m betwⁿ Secs 15 & 22, T3 N. R1 E
 40.00 Set temp^y q^t. Sec. post
 62.50 a brook 20 lks. wide Cr. N. W.
 80.30 Intersected the N & S. line 4 lks. S. of the Cor.
 Sand timber &c. Same as on the last mile

West on true line betwⁿ Secs 15 & 22, T3 N. R1 E.
 40.15 Set q^t. Sec. post at av^g. dist. on true line from which
 a W. Oak 12 in. dia^r. bears N 88 E 37 lks. dist^s
 a do 24 " " " S 33 W 37 " "
 80.30 to Sec. Corner.

North Between Secs 15 & 16, T3 N. R1 E. 2nd Mer.
 38.75 a W. Oak 20 in. dia^r.
 40.00 Set the q^t. Sec. post, from which
 a Poplar 8 in. dia^r. bears S 13 E 31 lks. dist^s
 a Cherry 6 " " " N 77 W 7 " "
 this post stands in the south boundary of a
 very brushy briar thicket.
 80.00 Set a post Cor. to Secs 9, 10, 15 & 16, from which
 a W. Oak in. dia^r. bears S 53 W 75 lks. dist.
 This mile lived wet brush & briars.

East On Rand^m betwⁿ Secs 10 & 15, T3 N. R1 E
 40.00 Set temp^y q^t. Sec post
 81.25 Intersected the N & S. line 100 lks. S. of Corner.
 Sand timber &c. Same as on the last mile

West on true line between Secs 10 & 15, T3 N. R1 E
 40.62 1/2 Set q^t. Sec. post at av^g. dist. on true line, from which
 a W. Oak 9 in. dia^r. bears N 52 E 36 lks. dist^s

T3. N. R1 E. 2nd Mer. Indiana

81.25 to Sec. Corner.

North Between Sec. 9 & 10, T3. N. R1 E.

40.00 Set the q^r. Sec. post, ~~from which~~ in thicket

80.00 Set a post Cor. to Sec. 3, 4, 9 & 10, from which

a Gum 12 m. dist. bears S 77 W 5 lks. dist. &

a W. Oak 8 " " " S 19 E 12 " "

Sand, timber &c. Same as on the last mile

East On Random betwⁿ Sec. 3 & 10, T3. N. R1 E.40.00 Set temp^y. q^r. Sec. post

81.25 Intersected the N & S. line 129 lks. S. of the Cor.

Sand rolling, timber Oak & Hickory

West On true line betwⁿ Sec. 3 & 10, T3. N. R1 E.40.62 1/2 Set q^r. Sec. post. at av^r. dist. from which

a Hickory 8 m. dist. bears S 5 E 9 lks. dist. &

a B. Oak 8 " " " N 4 E 8 " "

81.25 to Sec. Corner.

North Between Sec. 3 & 4, T3. N. R1 E.

14.50 a W. Oak 20 m. dist.

40.00 Set the q^r. Sec. post, from which

a W. Oak 10 m. dist. bears N 15 W 15 lks. dist. &

a Do 9 " " " N 15 W 24 " "

76.25 a Brook 12 lks. wide Cr. & M.

83.12 Intersected the N. boundy. 200 lks. W. of Cor.

Set a post Cor. to Sec. 3 & 4, from which

a Dogwood 6 m. dist. bears N 24 W 6 lks. dist. &

a Hickory 10 " " " S 60 W 15 " "

Sand timber &c. Same as on the last mile

North Between Sec. 32 & 33, T3. N. R1 E

T3 N. R1 E. T^h. Mer. Indiana

- 40.00 Set the q. Sec. post, from which
 a W. Oak 20 m. dia. bear S11W30 lkr. dist. &
 a W. Oak 24 " " " N42E15 " "
 57.30 a W. Oak 30 " "
 80.00 Set a post Cor. to Sec. 28, 29, 32 & 33, from which
 a Dogwood 6 m. dia. bear S44E21 lkr. dist. &
 a Poplar 30 " " " S83W12 " "
 Rich & brushy with Spice wood

East On Rand^m. betwⁿ Sec. 28 & 33, T3 N. R1 E.

- 40.00 Set temp^y q. Sec. post
 80.65 Intersected the N & S. line 29 lkr. S. of the post.
 Land, timber &c. Same as on the last mile

West On true line between Sec. 28 & 33, T3 N. R1 E.

- 40.32 1/2 Set q. Sec. post at ar^y. dist. on true line, from which
 a Poplar 8 m. dia. bear N10W10 lkr. dist. &
 a Dogw? 6 " " " S68W4 " "
 80.65 to Sec. Cor.

North Between Sec. 28 & 29, T3 N. R1 E.

- 40.00 Set the q. Sec. post, from which
 a W. Oak 20 m. dia. bear S50W21 lkr. dist. &
 a Do 18 " " " S19E44
 51.50 a P. Oak 18 " "
 80.00 Set a post Cor. to Sec. 20, 21, 28 & 29, from which
 a Poplar 30 m. dia. bear S56E20 lkr. dist. &
 a W. Oak 5 " " " S465W11 " "
 Land, timber &c. Same as on the last mile

East On Random betwⁿ Sec. 21 & 28, T3 S. R1 E

- 40.00 Set temp^y q. Sec. post.
 80.35 Intersected the N & S. line 8 lkr. S. of the post.

T3 N. R1 E. 2^d. Mer. Indiana
Sand Rich level

West On true line between Secs. 21 & 28, T3 N. R1 E.
40.17 1/2 Set qt. Sec. post at av. g. dist. from which
a P. Oak 10 m. dist. bear S32 W 8 lks. dist. of
a W. Oak 12 " " " N18 E 10 " "
80.35 to Sec. Cor.

North Between Secs. 20 & 21, T3 N. R1 E.
7.90 a P. Oak 15 m. dist.
40.00 Set the qt. Sec. post, from which
a Beech 10 m. dist. bear S32 E 14 lks. dist. of
a B. Walnut 10 " " " N82 W 8 " "
80.00 Set a post Cor. to Secs. 16 & 17, 20 & 21, from which
a W. Oak 30 m. dist. bear S40 W 15 lks. dist. of
a Gum 10 " " " S89 E 14 " "
Sand timber &c. Same as on the last mile

East On Random between Secs. 16 & 21, T3 N. R1 E.
40.00 Set temp. qt. Sec. post
80.00 Intersected the N & S. line 7 lks. S. of the Cor.
Sand rich, timber Poplar, Ash &c.

West On true line between Secs. 16 & 21, T3 N. R1 E.
40.00 Set qt. Sec. post at av. g. dist. from which
a W. Oak 8 m. dist. bear N67 E 21 lks. dist. of
a Poplar 20 " " " S9 E 16 " "
80.00 to Sec. Corner.

North Between Secs. 16 & 17, T3 N. R1 E.
40.00 Set the qt. Sec. post, from which
a Dogwood 8 m. dist. bear S53 W 9 lks. dist. of
a Do 7 " " " N8 E 11 " "

T3N. R1E. 2^d. Mer. Indiana

80.00 Set a post Cor. to Sec. 8, 9, 16 & 17, from which
 a Dogwood 6 in. diam. bears S36E 4 lks. dist. of
 a Hickory 10 " " " N20W 21 " "
 Land rolling, timber Oak & Hickory under
 the Spice wood

East On Random between Sec. 9 & 16, T3N. R1E.
 40.00 Set temp. of. Sec. post
 81.25 Intersected the N & S. line 50 lks. S. of the Cor.
 Land bushy

West Between Sec. 9 & 16, T3N. R1E. on true line
 40.62 1/2 Set of. Sec. post at ar. dist on true line, from which
 a W. Oak 10 in. diam. bears N4E 22 lks. dist. of
 a Do 14 " " " N63E 25 " "
 81.25 to the Sec. Cor.

North Between Sec. 8 & 9, T3N. R1E. 2^d. Mer.
 40.00 Set the of. Sec. post, from which
 a W. Oak 8 in. diam. bears N50W 23 lks. dist. of
 a Sassafras 6 " " " N48E 17 " "
 77.90 a W. Oak 20 " "
 80.00 Set a post Cor. to Sec. 4, 5, 8 & 9, from which
 a Hickory 10 in. diam. bears N17W 30 lks. dist. of
 a Do 12 " " " N12W 8 " "
 Land rolling, timber Oak & Hickory

East On Random between Sec. 4 & 9, T3N. R1E.
 40.00 Set temp. of. Sec. post
 80.80 Intersected the N & S. line 84 lks. S. of the Sec. Cor.
 Land timber &c. same

West On true line between Sec. 4 & 9, T3N. R1E.

3^d N. R1 E. 2^d Mer. Indiana

40.40 Set qt. Sec. post at av. dist. from which
 a W. Oak 12 in. dia. bears N69 E 32 lks. dist. of
 a Hickory 8 " " " N64 E 39 " "
 80.80 to Sec. Cor.

North Between Secs. 4 & 5, 3^d N. R1 E. 2^d Mer.

40.00 Set the qt. Sec. post, from which
 a White 8 in. dia. bears N24 E 16 lks. dist. of
 a Sugar 8 " " " N9 E 14 " "
 84.45 Intersected the N. boundary 150 lks. N. of Corner.
 Set a post Cor. to Secs. 4 & 5, from which
 a W. Oak 8 in. dia. bears S67 E 6 lks. dist. of
 a Do 8 " " " S61 W 12 " "
 Sand timber for same as on the last mile

North Between Secs. 31 & 32, 3^d N. R1 E.

40.00 Set the qt. Sec. post, from which
 a Poplar 20 in. dia. bears N3 E 34 lks. dist. of
 a W. Oak 12 " " " N20 E 15 " "
 80.00 Set a post Cor. to Secs. 29, 30, 31 & 32, from which
 a Beech 15 in. dia. bears N82 E 7 lks. dist. of
 a Do 10 " " " S50 W 16 " "
 Land rich & rolling. Many sink holes.

East On Random between Secs. 29 & 32, 3^d N. R1 E.

40.00 Set temp. qt. Sec. post
 80.40 Intersected the N. & S. line, 25 lks. N. of the Cor.
 Sand timber &c. same as on the last mile

West On true line between Secs. 29 & 32, 3^d N. R1 E.

40.20 Set qt. Sec. post at av. dist. on true line, from which
 a Gum 10 in. dia. bears S54 E 15 lks. dist. of
 a Sugar 8 " " " S83 W 27 " "

T3 N. R1 E. 2nd. Mer. Indiana

80.40 to Sec. Corner.

West Between Secs. 30 & 31, T3 N. R1 E.40.00 At the q. Sec. post, from which
a Sugar 10 in. dia. bear N 85 W 16 lks. dist. &
a Do 15 " " " N 48 E 9 " "

74.10 a W. Oak 30 " "

86.75 Intersected the 2nd. Meridian 232 lks. N. of the Cor.
Set a post, Cor. to Secs. 30 & 31 from which
a P. Walnut 10 in. dia. bear N 81 E 13 lks. dist. &
an Ironwood 5 " " N 37 W 9 " "
Very rich land. timber, Ash, Walnut &c.

North Between Secs. 29 & 30, T3 N. R1 E.40.00 At the q. Sec. post, from which
a Beech 10 in. dia. bear S 73 E 23 lks. dist. &
a Do 20 " " " N 83 W 4 " "80.00 Set a post Cor to Secs. 19, 20, 29 & 30, from which
a Poplar 6 in. dia. bear S 75 E 12 lks. dist. &
a Red bud 6 " " " N 34 W 23 " "
Sand timber, &c. same as on last mile - rich

East on Random between Secs. 20 & 29 T3 N. R1 E.

40.00 At temp. q. Sec. post

80.40 Intersected the N & S. line 39 lks. N. of the Cor.
Sand timber &c. the same as on the last mile

West On true line between Secs. 20 & 29, T3 N. R1 E.40.20 At q. Sec. post at a q. dist. from which
a Hickory 20 in. dia. bear S 81 E 9 lks. dist. &
a W. Oak 10 " " " N 15 W 42 " "80.40 to Sec. Corner.

T3N R1E2^d. Mer. Indiana

West Between Secs. 19 & 30, T3N. R1E

- 9.65 a W. Oak 20 in. dia.
 32.00 a Branch 12 hrs. wide Cr. S.
 40.00 At the gr. Sec. post, from which
 a Beech 20 in. dia. bears S53°W 44 hrs. dist.
 a W. Ash 30 " " " N20°E 36 " "
 64.55 to Old Indian boundary
 89.24 Intersected the T^d. Meridian 688 hrs. S. of the cor.
 Set a post Cor. to Secs. 19 & 30, from which
 a Hickory 12 in. dia. bears S54°W 33 hrs. dist.
 an Elm 15 " " " N22°W 35 " "

North Between between Secs. 19 & 20, T3N. R1E.

- 33.00 a brook 10 hrs. wide Cr. W.
 40.00 At the gr. Sec. post, from which
 a Beech 20 in. dia. bears S38°E 11 hrs. dist.
 a Poplar 10 " " " S9°E 48 " "
 44.45 a Poplar 20 " "
 67.71 Intersected Indian boundary, set post, from which
 a Beech 10 in. dia. bears N52°E 23 hrs. dist.
 a Poplar 48 " " " " "
 80.00 Set a post Cor. to Secs. 17, 18, 19 & 20, from which
 a Beech 10 in. dia. bears S35°E 21 hrs. dist.
 a Do 10 " " " N61°W 11 " "
 Sand rich, timber Sugar, Beech, Poplar, Ash &c.

East On Random between Secs. 17 & 20, T3N. R1E

- 8.50 a Pond 500 hrs. wide Cr. N. & S.
 40.00 At temp. gr. Sec. post
 81.00 Intersected the N & S. line 100 hrs. S. of the cor.
 Sand timber &c. same as on the last mile

West On true line betw. Secs. 17 & 20, T3N. R1E.

T3 N. R1 E. 2^d Mer. Indiana

- 40.50 At the q. Sec. post at q. dist. from which
 a Poplar 8 in. diam. bears N 72° W 12 lks. dist. &
 a Sassafras 6 " " " S 33° W 21 " "
 the old q. Corner at this place was cancelled.
 it being 50 lks. too far East.
- 66.16 At post Cor. to Sec. 17 & 20, on Ind. boundary line
 a Sugar 10 in. diam. bears S 82° E 10 lks. dist. &
 a Hickory 12 " " " N 66° W 17 " "
- 81.00 To the Sec. Corner.

West Between Sec. 18 & 19, T3 N. R1 E.

- 40.00 At the q. Sec. post, from which
 a Sugar 8 in. diam. bears S 20° W 7 lks. dist. &
 a Elm 8 " " " S 43° E 20 " "
- 66.60 a Hickory 12 " "
- 91.29 Intersected the 2^d Meridian 537 lks. S. of post.
 Set a post Cor. to Sec. 18 & 19, from which
 a Beech 8 in. diam. bears N 60° E 17 lks. dist. &
 a Elm 8 " " " N 30° W 15 " "
 Rolling land, timber Oak & Hickory

North Between Sec. 17 & 18, T3 N. R1 E

- 22.50 a Beech 12 in. diam.
- 40.00 At the q. Sec. post, from which
 a Hackberry 8 in. diam. bears S 10° W 21 lks. dist. &
 a Beech 8 " " " S 73° E 9 " "
- 80.00 Set a post Cor. to Sec. 7, 8, 17 & 18, from which
 a Dogwood 7 in. diam. bears S 81° W 18 lks. dist. &
 a Poplar 24 " " " N 36° W 15 " "
 Land rich, timber Poplar, ash, Oak & Hickory

East On Randm. betw. Sec. 8 & 17, T3 N. R1 E

- 40.00 At temp. q. Sec. post.

T3 N. R1 E. 2^d Mer. Indiana

80.50 Intersected the N & S. line 95 krs. S. of Corner.
Sand timber &c. Same as on the last mile

West On true line between Secs. 8 & 17, T3 N. R1 E
40.25 Set q. Sec. post at av. dist. from which
a Dogwood 8 in. diam. bears N75 E 30 krs. dist. of
a Do 6 " " " N20 E 5 " "
80.50 to Sec. Cor.

West Between Secs. 7 & 18, T3 N. R1 E.
40.00 Set the q. Sec. post, from which
a W. Oak 20 in. diam. bears N19 E 10 krs. dist. of
a Do 15 " " " N66 W 34 " "
55.80 a Poplar 12 " " "
93.11 Intersected the 2^d Meridian 537 krs. S. of the
Cor. Set a post Cor. to Secs. 7 & 18, from which
an Elm 8 in. diam. bears N49 W 11 krs. dist. of
a Beech 7 " " " N57 E 38 " "
Rolling & brushy land, timber Oak & Hickory

North Between Secs. 7 & 8, T3 N. R1 E
40.00 Set the q. Sec. post, from which
a W. Oak 20 in. diam. bears N32 W 27 krs. dist. of
a Do 24 " " " N23 E 35 " "
80.00 Set a post Cor. to Secs. 5, 6, 7 & 8, from which
a Poplar 10 in. diam. bears N40 E 22 krs. dist. of
a W. Oak 7 " " " N16 E 25 " "
Sand timber &c. Same as on the last mile

East On Random betw. Secs. 5 & 8, T3 N. R1 E.
40.00 Set temp. q. Sec. post
80.52 Intersected the N & S. line 80 krs. S. of the post.
Sand timber &c. Same as on the last mile

T3. N. R1 E. 2nd Mer. Indiana

91

West On true line between Sec. 5 & 8.

40.26 Set of Sec. post at ar. dist. from which
 a W. Ash 8 in. dia. bears N48 E 19 lks. dist. of
 a Poplar 10 " " " N42 E 9 " "
 80.52 to Sec. Cor.

West Between Sec. 6 & 7, T3. N. R1 E. 2nd Mer.

40.00 Set the of Sec. post, from which
 a Dogwood 6 in. dia. bears N40 E 11 lks. dist.
 a W. Oak 20 " " " N15 W 26 " "
 95.12 Intersected the D. Allenidian 530 lks. S. of the
 Corner Set a post Cor. to Sec. 6 & 7, from which
 a Poplar 26 in. dia. bears N77 W 14 lks. dist.
 a Hickory 10 " " " N67 E 12 " "

North Between Sec. 5 & 6, T3. N. R1 E. 2nd Mer.

40.00 Set the of Sec. post, from which
 a W. Oak 20 in. dia. bears N18 W 19 lks. dist. of
 a Dogwood " " " N79 E 13 " "
 84.66 Intersected the N. boundy. 317 lks. N. of the cor.
 Set a post Cor. to Sec. 5 & 6, from which
 a W. Oak 8 in. dia. bears N78 E 8 lks. dist. of
 a Do 8 " " " N55 W 13 " "
 Land timber &c. same as on the last mile
 Surveyed by Arthur Henrie, D. S.

I Certify that the foregoing transcript of field notes
 of Township N: 3. N. Range N: 1 E. Q: 1 Mer. Indiana
 has been Comp: with the original notes in this office
 and found to be Correct.

Surveyor General's Office
 Cincinnati Dec: 12th 1840.

E. S. Leary
 Sur. Genl.